



### FLAMEBRAKER® GRID CONVERSION CHART

Area (m <sup>2</sup> )	Main Tee		Cross Tees 2400mm Centres		Cross Tees 1800mm Centres		Cross Tees 1200mm Centres	
	Lin m	Cartons	Lin m	Cartons	Lin m	Cartons	Lin m	Cartons
100	166	3	42	2	56	3	83	4
200	332	5	83	4	111	5	167	7
300	498	7	125	6	167	7	250	11
400	663	10	167	7	222	10	333	14
500	829	12	208	9	278	12	417	18
600	995	14	250	11	333	14	500	21
700	1161	17	292	13	389	17	583	25
800	1327	19	333	14	444	19	667	28
900	1493	21	375	16	500	21	750	32
1000	1658	23	417	18	556	24	833	35
2000	3317	47	833	35	1111	47	1667	70
3000	4975	70	1250	52	1667	70	2500	104
4000	6633	93	1667	70	2222	93	3333	139
5000	8292	116	2083	87	2778	116	4167	173
6000	9950	139	2500	104	3333	139	5000	208
7000	11609	162	2917	121	3889	162	5833	242
8000	13267	185	3333	139	4444	185	6667	277
9000	14925	208	3750	156	5000	208	7500	311
10000	16584	231	4167	173	5556	231	8333	346

### FLAMEBRAKER® GRID CONVERSION CHART (con't)

Area (m <sup>2</sup> )	Spring Wedges * 2400mm Boards		Spring Wedges * 1800mm Boards		Insulation Clips  Cartons	Fixing Straps  Number    Cartons		Angle Trim  Lin m    Cartons	
	Number	Cartons	Number	Cartons		Number	Cartons	Lin m	Cartons
100	693	1	739	1	2	92	2	50	1
200	1382	2	1475	2	3	184	4	100	2
300	2075	3	2214	3	5	277	6	150	3
400	2764	3	2947	3	6	368	8	200	3
500	3453	4	3686	4	7	461	10	250	4
600	4146	5	4422	5	9	553	12	300	5
700	4838	5	5162	6	10	645	13	350	5
800	5528	6	5897	6	12	737	15	400	6
900	6220	7	6637	7	13	829	17	450	7
1000	6910	7	7373	8	14	921	19	500	7
2000	13820	14	14745	15	28	1843	37	1000	14
3000	20729	21	22118	23	42	2764	56	1500	21
4000	27639	28	29487	30	56	3685	74	2000	28
5000	34549	35	36863	37	70	4607	93	2500	35
6000	41459	42	44232	45	83	5528	111	3000	42
7000	48372	49	51608	52	97	6449	129	3500	49
8000	55278	56	58978	59	111	7371	148	4000	56
9000	62188	63	66350	67	125	8292	166	4500	63
10000	69101	70	73726	74	139	9213	185	5000	70

\*Contact Promat UK Limited for number of wedges required for fixing boards at 150mm centres (walls within 1m of the boundary).